




Leading Provider of Next Generation Air Filters

DELTA ULTRASEAL BAG - Synthetic

Filter Classification: CEN-EN 779: F5 - F9
Media: Dual stage Polypropylene
Frame: Corrosion Resistant Metal
Rated airflow: 0.94m³/s
Market: HVAC | Food/Beverage
 Industrial | Pharma/Cleanroom



Technical Details

Nominal Size (W x H x D)	No. of pockets	Flowrates (m ³ /hr)			Media Area (m ²)	Part No.	F5 Efficiency Pressure Drop (Pa)		
		Low	Medium	High			Low	Medium	High
592 x 592 x 650	6	1680	2520	3360	5.27	BF5592592650-6(x,y)	52.5	77.5	107.5
592 x 592 x 650	8	2520	3360	4200	7.02	BF5592592650-8(x,y)	42.5	70	102.5
592 x 592 x 650	10	3360	4200	5040	7.6	BF5592592650-10(x,y)	40.5	65.5	98
592 x 592 x 550	6	1680	2520	3360	4.45	BF5592592550-6(x,y)	47.5	72.5	102.5
592 x 592 x 550	8	2520	3360	4200	5.94	BF5592592550-8(x,y)	37.5	65	95
592 x 592 x 550	10	3360	4200	5040	6.51	BF5592592550-10(x,y)	32	60	88
592 x 592 x 380	6	1680	2520	3360	3.08	BF5592592380-6(x,y)	52.5	80	115
592 x 592 x 380	8	2520	3360	4200	4.1	BF5592592380-8(x,y)	45	75	105
490 x 592 x 650	5	2100	2814	3528	4.39	BF5592592650-5(x,y)	52.5	77.5	107.5
490 x 592 x 650	6	2100	2814	3528	5.27	BF5490592650-6(x,y)	42.5	70	102.5
490 x 592 x 550	5	1428	2100	2814	3.71	BF5490592550-5(x,y)	47.5	72.5	102.5
490 x 592 x 550	6	2100	2814	3528	4.46	BF5490592550-6(x,y)	37.5	65	105
490 x 592 x 380	5	1428	2100	2814	2.57	BF5490592380-5(x,y)	52.5	80	95
490 x 592 x 380	6	2100	2814	3528	3.08	BF5490592380-6(x,y)	45	75	115
287 x 592 x 650	3	1260	1680	2100	2.635	BF5287592650-3(x,y)	52.5	77.5	107.5
287 x 592 x 650	4	1260	2100	2520	3.51	BF5287592650-4(x,y)	42.5	70	102.5
287 x 592 x 650	5	1680	2520	2940	3.84	BF5287592650-5(x,y)	38	61	96
287 x 592 x 550	3	840	1260	1680	2.225	BF5287592550-3(x,y)	47.5	72.5	102.5
287 x 592 x 550	4	1260	1680	2100	2.97	BF5287592550-4(x,y)	37.5	65	95
287 x 592 x 550	5	1680	2520	2940	3.26	BF5287592550-5(x,y)	32	52	86
287 x 592 x 380	3	840	1260	2100	1.54	BF5287592380-3(x,y)	52.5	80	115
287 x 592 x 380	4	1260	1680	2100	2.05	BF5287592380-4(x,y)	45	75	105

Contact Details

Delta Filtration, Kilmallock Business Park, Kilmallock, Co. Limerick, Ireland

Tel : +353 63 98829 | Fax : +353 63 98830 | E-mail : info@deltafiltration.com | Web : www.deltafiltration.com



Leading Provider of Next Generation Air Filters

Nominal Size (W x H x D)	No. of pockets	Flowrates (m3/hr)			Media Area (m2)	Part No.	F6 Efficiency Pressure Drop (Pa)		
		Low	Medium	High			Low	Medium	High
592 x 592 x 650	6	1680	2520	3360	5.27	BF6592592650-6(x,y)	62.5	87.5	117.5
592 x 592 x 650	8	2520	3360	4200	7.02	BF6592592650-8(x,y)	52.5	80	112.5
592 x 592 x 650	10	3360	4200	5040	7.6	BF6592592650-10(x,y)	48.5	77	106
592 x 592 x 550	6	1680	2520	3360	4.45	BF6592592550-6(x,y)	57.5	82.5	115
592 x 592 x 550	8	2520	3360	4200	5.94	BF6592592550-8(x,y)	47.5	75	105
592 x 592 x 550	10	3360	4200	5040	6.51	BF6592592550-10(x,y)	42	72	98
592 x 592 x 380	6	1680	2520	3360	3.08	BF6592592380-6(x,y)	62.5	90	125
592 x 592 x 380	8	2520	3360	4200	4.1	BF6592592380-8(x,y)	55	85	115
490 x 592 x 650	5	2100	2814	3528	4.39	BF6490592650-5(x,y)	62.5	87.5	117.5
490 x 592 x 650	6	2100	2814	3528	5.27	BF6490592650-6(x,y)	52.5	80	112.5
490 x 592 x 550	5	1428	2100	2814	3.71	BF6490592550-5(x,y)	57.5	82.5	115
490 x 592 x 550	6	2100	2814	3528	4.46	BF6490592550-6(x,y)	47.5	75	105
490 x 592 x 380	5	1428	2100	2814	2.57	BF6490592380-5(x,y)	62.5	85	125
490 x 592 x 380	6	2100	2814	3528	3.08	BF6490592380-6(x,y)	55	85	115
287 x 592 x 650	3	1260	1680	2100	2.635	BF6287592650-3(x,y)	62.5	87.5	117.5
287 x 592 x 650	4	1260	2100	2520	3.51	BF6287592650-4(x,y)	52.5	80	112.5
287 x 592 x 650	5	1680	2520	2940	3.84	BF6287592650-5(x,y)	47	72	105
287 x 592 x 550	3	840	1260	1680	2.225	BF6287592550-3(x,y)	57.5	82.5	115
287 x 592 x 550	4	1260	1680	2100	2.97	BF6287592550-4(x,y)	47.5	75	105
287 x 592 x 550	5	1680	2520	2940	3.26	BF6287592550-5(x,y)	40	66	97
287 x 592 x 380	3	840	1260	2100	1.54	BF6287592380-3(x,y)	62.5	90	125
287 x 592 x 380	4	1260	1680	2100	2.05	BF6287592380-4(x,y)	55	85	115

Nominal Size (W x H x D)	No. of pockets	Flowrates (m3/hr)			Media Area (m2)	Part No.	F7 Efficiency Pressure Drop (Pa)		
		Low	Medium	High			Low	Medium	High
592 x 592 x 650	6	1680	2520	3360	5.27	BF7592592650-6(x,y)	72.5	100	125
592 x 592 x 650	8	2520	3360	4200	7.02	BF7592592650-8(x,y)	62.5	85	122.5
592 x 592 x 650	10	3360	4200	5040	7.6	BF7592592650-10(x,y)	55	73	111
592 x 592 x 550	6	1680	2520	3360	4.45	BF7592592550-6(x,y)	67.5	100	132.5
592 x 592 x 550	8	2520	3360	4200	5.94	BF7592592550-8(x,y)	52.5	87.5	115
592 x 592 x 550	10	3360	4200	5040	6.51	BF7592592550-10(x,y)	48	82	103
592 x 592 x 380	6	1680	2520	3360	3.08	BF7592592380-6(x,y)	75	105	140
592 x 592 x 380	8	2520	3360	4200	4.1	BF7592592380-8(x,y)	62.5	100	137.5
490 x 592 x 650	5	2100	2814	3528	4.39	BF7592592650-5(x,y)	72.5	100	125
490 x 592 x 650	6	2100	2814	3528	5.27	BF7490592650-6(x,y)	62.5	85	122.5
490 x 592 x 550	5	1428	2100	2814	3.71	BF7490592550-5(x,y)	67.5	100	132.5
490 x 592 x 550	6	2100	2814	3528	4.46	BF7490592550-6(x,y)	52.5	87.5	115
490 x 592 x 380	5	1428	2100	2814	2.57	BF7490592380-5(x,y)	75	105	140
490 x 592 x 380	6	2100	2814	3528	3.08	BF7490592380-6(x,y)	62.5	100	137.5
287 x 592 x 650	3	1260	1680	2100	2.635	BF7287592650-3(x,y)	72.5	100	125
287 x 592 x 650	4	1260	2100	2520	3.51	BF7287592650-4(x,y)	62.5	85	122.5
287 x 592 x 650	5	1680	2520	2940	3.84	BF7287592650-5(x,y)	54	76	111
287 x 592 x 550	3	840	1260	1680	2.225	BF7287592550-3(x,y)	67.5	100	132.5
287 x 592 x 550	4	1260	1680	2100	2.97	BF7287592550-4(x,y)	52.5	87.5	115
287 x 592 x 550	5	1680	2520	2940	3.26	BF7287592550-5(x,y)	44	82	104
287 x 592 x 380	3	840	1260	2100	1.54	BF7287592380-3(x,y)	75	105	140
287 x 592 x 380	4	1260	1680	2100	2.05	BF7287592380-4(x,y)	62.5	100	137.5

Contact Details

Delta Filtration, Kilmallock Business Park, Kilmallock, Co. Limerick, Ireland

Tel : +353 63 98829 | Fax : +353 63 98830 | E-mail : info@deltafiltration.com | Web : www.deltafiltration.com



Leading Provider of Next Generation Air Filters

Nominal Size (W x H x D)	No. of pockets	Flowrates (m3/hr)			Media Area (m2)	Part No.	F8 Efficiency Pressure Drop (Pa)		
		Low	Medium	High			Low	Medium	High
592 x 592 x 650	6	1680	2520	3360	5.27	BF8592592650-6(x,y)	90	130	170
592 x 592 x 650	8	2520	3360	4200	7.02	BF8592592650-8(x,y)	80	125	165
592 x 592 x 650	10	3360	4200	5040	7.6	BF8592592650-10(x,y)	73	113	140
592 x 592 x 550	6	1680	2520	3360	4.45	BF8592592550-6(x,y)	100	140	185
592 x 592 x 550	8	2520	3360	4200	5.94	BF8592592550-8(x,y)	62.5	105	150
592 x 592 x 550	10	3360	4200	5040	6.51	BF8592592550-10(x,y)	58	88	121
592 x 592 x 380	6	1680	2520	3360	3.08	BF8592592380-6(x,y)	100	155	207.5
592 x 592 x 380	8	2520	3360	4200	4.1	BF8592592380-8(x,y)	80	105	130
490 x 592 x 650	5	2100	2814	3528	4.39	BF8592592650-5(x,y)	90	130	170
490 x 592 x 650	6	2100	2814	3528	5.27	BF8490592650-6(x,y)	80	125	165
490 x 592 x 550	5	1428	2100	2814	3.71	BF8490592550-5(x,y)	100	140	185
490 x 592 x 550	6	2100	2814	3528	4.46	BF8490592550-6(x,y)	62.5	105	150
490 x 592 x 380	5	1428	2100	2814	2.57	BF8490592380-5(x,y)	100	155	207.5
490 x 592 x 380	6	2100	2814	3528	3.08	BF8490592380-6(x,y)	80	105	130
287 x 592 x 650	3	1260	1680	2100	2.635	BF8287592650-3(x,y)	90	130	170
287 x 592 x 650	4	1260	2100	2520	3.51	BF8287592650-4(x,y)	80	125	165
287 x 592 x 650	5	1680	2520	2940	3.84	BF8287592650-5(x,y)	71	111	150
287 x 592 x 550	3	840	1260	1680	2.225	BF8287592550-3(x,y)	100	140	180
287 x 592 x 550	4	1260	1680	2100	2.97	BF8287592550-4(x,y)	62.5	105	150
287 x 592 x 550	5	1680	2520	2940	3.26	BF8287592550-5(x,y)	59	96	124
287 x 592 x 380	3	840	1260	2100	1.54	BF8287592380-3(x,y)	100	155	207.5
287 x 592 x 380	4	1260	1680	2100	2.05	BF8287592380-4(x,y)	80	105	130

Nominal Size (W x H x D)	No. of pockets	Flowrates (m3/hr)			Media Area (m2)	Part No.	F9 Efficiency Pressure Drop (Pa)		
		Low	Medium	High			Low	Medium	High
592 x 592 x 650	6	1680	2520	3360	5.27	BF9592592650-6(x,y)	108	156	204
592 x 592 x 650	8	2520	3360	4200	7.02	BF9592592650-8(x,y)	96	150	198
592 x 592 x 650	10	3360	4200	5040	7.6	BF9592592650-10(x,y)	79	122	152
592 x 592 x 550	6	1680	2520	3360	4.45	BF9592592550-6(x,y)	120	168	222
592 x 592 x 550	8	2520	3360	4200	5.94	BF9592592550-8(x,y)	75	126	180
592 x 592 x 550	10	3360	4200	5040	6.51	BF9592592550-10(x,y)	69.6	105.6	145.2
592 x 592 x 380	6	1680	2520	3360	3.08	BF9592592380-6(x,y)	120	186	249
592 x 592 x 380	8	2520	3360	4200	4.1	BF9592592380-8(x,y)	96	126	156
490 x 592 x 650	5	2100	2814	3528	4.39	BF9592592650-5(x,y)	108	156	204
490 x 592 x 650	6	2100	2814	3528	5.27	BF9490592650-6(x,y)	96	150	198
490 x 592 x 550	5	1428	2100	2814	3.71	BF9490592550-5(x,y)	120	168	222
490 x 592 x 550	6	2100	2814	3528	4.46	BF9490592550-6(x,y)	75	126	180
490 x 592 x 380	5	1428	2100	2814	2.57	BF9490592380-5(x,y)	120	186	249
490 x 592 x 380	6	2100	2814	3528	3.08	BF9490592380-6(x,y)	96	126	156
287 x 592 x 650	3	1260	1680	2100	2.635	BF9287592650-3(x,y)	108	156	204
287 x 592 x 650	4	1260	2100	2520	3.51	BF9287592650-4(x,y)	96	150	198
287 x 592 x 650	5	1680	2520	2940	3.84	BF9287592650-5(x,y)	85.2	141	175
287 x 592 x 550	3	840	1260	1680	2.225	BF9287592550-3(x,y)	120	168	216
287 x 592 x 550	4	1260	1680	2100	2.97	BF9287592550-4(x,y)	75	126	180
287 x 592 x 550	5	1680	2520	2940	3.26	BF9287592550-5(x,y)	70.8	115.2	148.8
287 x 592 x 380	3	840	1260	2100	1.54	BF9287592380-3(x,y)	120	186	249
287 x 592 x 380	4	1260	1680	2100	2.05	BF9287592380-4(x,y)	96	126	156

Contact Details

Delta Filtration, Kilmallock Business Park, Kilmallock, Co. Limerick, Ireland

Tel : +353 63 98829 | Fax : +353 63 98830 | E-mail : info@deltafiltration.com | Web : www.deltafiltration.com